

SONY - PROJECTORS

Entry Level Projectors (Education/SME/Portable/ Small Size Meeting Rooms)

| Model | Brightness | Resolution | Contrast | Lamp Life | Connectivity | Other Features | DP (with 28% GST) |
|-----------|------------|-----------------|----------|------------|---|--------------------------------------|-------------------|
| VPL-DX220 | 2700 ANSI | XGA (1024x768) | 3000:1 | 6,000 Hrs | HDMI,VGA,Composite Video & Audio Out | Highly Reliable Portable Projector | 29,700 |
| VPL-DX240 | 3200 ANSI | XGA (1024x768) | 4000:1 | 10,000 Hrs | 2x HDMI,VGA,Composite Video,Audio Out & 5V USB Power Output | Optional Wireless (3rd Party - HDMI) | 35,950 |
| VPL-DX270 | 3500 ANSI | XGA (1024x768) | 4000:1 | 10,000 Hrs | 2x HDMI,VGA,Composite Video,Audio Out & 5V USB Power Output | Optional Wireless (3rd Party - HDMI) | 39,450 |
| VPL-DW240 | 3000 ANSI | WXGA (1280x800) | 4000:1 | 10,000 Hrs | 2x HDMI,VGA,Composite Video,Audio Out & 5V USB Power Output | Optional Wireless (3rd Party - HDMI) | 43,950 |

Compact Mid-Range Projector (Corporate/SME/Education/Prayer Hall/Medium Size Meeting Rooms)

| | | | | | | | |
|-----------|-----------|-----------------|----------|------------|---|---|--------|
| VPL-EX315 | 3800 ANSI | XGA (1024x768) | 3300:1 | 10,000 Hrs | All Connectivity of EX310 + Audio Out & Microphone Input +16 W Speaker | Network Projection, Optional Wireless(Sony) | 50,950 |
| VPL-EX430 | 3200 ANSI | XGA (1024x768) | 20,000:1 | 10,000 Hrs | 2x HDMI,2x VGA, RJ-45, USB Type A&B, Monitor Out, RS-232, S Video & Composite Video | | 37,950 |
| VPL-EX435 | 3200 ANSI | XGA (1024x768) | 20,000:1 | 10,000 Hrs | All Connectivity of EX430 + Audio Out & Microphone Input +16 W Speaker | Network Projection, Optional Wireless(Sony) | call |
| VPL-EX450 | 3600 ANSI | XGA (1024x768) | 20,000:1 | 10,000 Hrs | 2x HDMI,2x VGA, RJ-45, USB Type A&B, Monitor Out, RS-232, S Video & Composite Video | Network Projection, Optional Wireless(Sony) | 44,700 |
| VPL-EX455 | 3600 ANSI | XGA (1024x768) | 20,000:1 | 10,000 Hrs | All Connectivity of EX450 + Audio Out & Microphone Input +16 W Speaker | Network Projection, Optional Wireless(Sony) | call |
| VPL-EX570 | 4200 ANSI | XGA (1024x768) | 20,000:1 | 10,000 Hrs | 2x HDMI,2x VGA, RJ-45, USB Type A&B, Monitor Out, RS-232, S Video & Composite Video | | 56,950 |
| VPL-EX345 | 4200 ANSI | XGA (1024x768) | 3300:1 | 10,000 Hrs | All Connectivity of EX570 + Audio Out & Microphone Input +16 W Speaker | | 54,050 |
| VPL-EW435 | 3100 ANSI | WXGA (1280x800) | 20,000:1 | 10,000 Hrs | All Connectivity of EX570 + Audio Out & Microphone Input +16 W Speaker | | 46,450 |
| VPL-EW455 | 3500 ANSI | WXGA (1280x800) | 20,000:1 | 10,000 Hrs | All Connectivity of EX570 + Audio Out & Microphone Input +16 W Speaker | Network Projection, Optional Wireless(Sony) | 56,450 |
| VPL-EW575 | 4300 ANSI | WXGA (1280x800) | 20,000:1 | 10,000 Hrs | All Connectivity of EX570 + Audio Out & Microphone Input +16 W Speaker | | 65,450 |
| VPL-EW578 | 4200 ANSI | WXGA (1280x800) | 20,000:1 | 10,000 Hrs | All Connectivity of EX340 + Audio Out & Microphone Input +16 W Speaker + HDBaseT | Network Projection, Optional Wireless(Sony) | call |

Short Throw Projectors (Education/SME/Corporate/Small Meeting rooms where the space is constrain)

| | | | | | | | |
|-----------|-----------|-----------------|--------|------------|--|---|--------|
| VPL-SX226 | 2800 ANSI | XGA (1024x768) | 3000:1 | 10,000 Hrs | HDMI, 2xVGA, RJ-45, USB Type A&B, Monitor Out, RS-232,S Video, C Video & Audio Out | Network Projection, Optional Wireless(Sony) | 43,950 |
| VPL-SX236 | 3300 ANSI | XGA (1024x768) | 3000:1 | 10,000 Hrs | HDMI, 2xVGA, RJ-45, USB Type A&B, Monitor Out, RS-232,S Video, C Video & Audio Out | Network Projection, Optional Wireless(Sony) | 58,950 |
| VPL-SW225 | 2600 ANSI | WXGA (1280x800) | 3000:1 | 10,000 Hrs | HDMI, 2xVGA, RJ-45, USB Type A&B, Monitor Out, RS-232,S Video, C Video & Audio Out | Network Projection, Optional Wireless(Sony) | 54,450 |
| VPL-SW235 | 3000 ANSI | WXGA (1280x800) | 3000:1 | 10,000 Hrs | HDMI, 2xVGA, RJ-45, USB Type A&B, Monitor Out, RS-232,S Video, C Video & Audio Out | Network Projection, Optional Wireless(Sony) | 60,550 |

FOR OTHER PROJECTOR MODEL PLEASE CONTACT :- 28521607/ 28521572/ 28587158 / 9884411731

BenQ Projector

| Category | Model | DTP Nett | Brightn ess | Contrast | Lamp Life (Eco Mode) | Special Feature |
|-------------------|----------|----------|----------------|----------|-------------------------|---|
| SVGA | MS506P | 24500 | 3200 | 13000:1 | 10000*Hrs | Long lamp Life and High Brightness, 2 x VGA Input Only, 2W Speaker |
| | MS531P | 26420 | 3300 | 15000:1 | 10000*Hrs | Multimedia interface, HDMI 1.4V X2, VGAX2 , 3D , Smart Eco |
| Category | Model | DTP Nett | Brightn ess | Contrast | Lamp Life (Eco Mode) | Special Feature |
| XGA | MX505 | 30900 | 3000 | 13000:1 | 10000*Hrs | All Video Ports with out HDMI |
| | MX532P | 32180 | 3300 | 13000:1 | 10000*Hrs | DUAL HDMI 1.4 , 3D , Long Lamp Life with Smart Eco |
| | MX704 | 52020 | 4000 | 13000:1 | 7500*Hrs | Dual HDMI 1.4a , MHL, 2D Keystone, Wireless Presentation via Your Smart Device by QCast(optional) |
| Category | Model | DTP Nett | Brightn ess | Contrast | Lamp Life (Eco Mode) | Special Feature |
| WXGA | MW519 | 38260 | 2800 | 13000:1 | 6500 Hrs | All Video Ports with HDMI |
| | MW529 | 39540 | 3200 | 13000:1 | 10000*Hrs | WXGA with HDMI 1.4 , 3D , Long Lamp Life with Smart Eco |
| | MW705 | 58420 | 4000 | 13000:1 | 7500* Hrs | Dual HDMI 1.4a , MHL, 2D Keystone, Wireless Presentation via Your Smart Device by QCast(optional) |
| Category | Model | DTP Nett | Brightn ess | Contrast | Lamp Life (Eco Mode) | Special Feature |
| Short Throw | MX805ST | 35700 | 2700 | 13000:1 | 6500 Hrs | Throw Ratio : 0.61(78"@0.96m) XGA 1024x768, Smart Eco |
| | MX806PST | 36980 | 3000 | 13000:1 | 10000*Hrs | Throw Ratio : 0.61(78"@0.96m) XGA 1024x768, Smart Eco, PW01/PT02 comptability |
| | MX806ST | 37300 | 3000 | 13000:1 | 10000*Hrs | Throw Ratio : 0.61(78"@0.96m) XGA 1024x768, Smart Eco, PW01/PT02 comptability with HDMI Port |
| | MW820ST | 42740 | 3000 | 13000:1 | 10000*Hrs | Throw Ratio : 0.49 (87"@0.91m), WXGA 1280x800 Short Throw, PW01/PT02 comptability |
| Category | Model | DTP Nett | Brightn ess | Contrast | Lamp Life (Eco Mode) | Special Feature |
| Ultra Short Throw | DX832UST | 53300 | 3200 | 13000:1 | 7500Hrs | Throw Ratio 0.47, XGA, Ultra Short Throw projector with Direct Projection (without Reflection Mirror), LAN Control and Smart Eco feature, Auto Keystone & Enhanced Dust-proof Protection. |
| | MX850UST | 51700 | 2500 | 13000:1 | 6500Hrs | Throw Ratio 0.45, XGA, Ultra Short Throw projector, LAN Control, HDMI, Video Ports and Smart Eco feature |

**FOR OTHER PROJECTOR MODEL PLEASE CONTACT :- 28521607/ 28521572/
28587158 / 9884411731**

ACER Projector

| Category | Model No. | NETT | Resolution | Brightness | Contrast Ratio | Lamp hours (Extreme Eco) | Interface |
|---|-----------|-------|------------|------------|----------------|--------------------------|---|
| SVGA | X1185PG | 23668 | SVGA | 3300AL | 20000:1 | 10000 hours | D- Sub Interface |
| | | | | | | | |
| | X117H | 25780 | SVGA | 3600 AL | 20000:1 | 10,000 hours | HDMI, D-Sub, Composite Video, S-Video |
| XGA Mainstream | X1283G | 30900 | XGA | 3000 AL | 20000:1 | 10,000 hours | D-Sub interface |
| | X125H | 30900 | XGA | 3300 AL | 20000:1 | 10,000 hours | HDMI, D-Sub, Composite Video, S-Video |
| | X127H | 30900 | XGA | 3600 AL | 20000:1 | 10,000 hours | HDMI, D-Sub, Composite Video, S-Video |
| | P1285B | 36340 | XGA | 3300 AL | 20000:1 | 10,000 hours | HDMI, USB Type A , MHL, LAN, Audio In/out, D-Sub, Composite Video, S-Video, office Viewer. |
| Short Throw | S1285N | 36980 | XGA | 3100 AL | 17000:1 | 10,000 hours | D-Sub, Monitor out, 3w speaker. |
| | S1283Hne | 38260 | | | | | |
| LED | C120 | 18420 | WVGA | 100 AL | 1000:1 | 20,000 hours | USB3.0, Display & power over USB |
| WXGA | C205 | 24820 | FWVGA | 200 AL | 1000:01:00 | 30,000 hours | HDMI, MHL, Built-in-Battery for 2hrs Projection 4W Speaker |
| | A1300W | 51700 | WXGA | 3200 AL | 20000:1 | 10,000 hours | SRGB color, REC.709, 1.3X zoom, Auto keystone, 10W spkr, HDMI DC 5V Hidden dongle design |
| | P1385WB | 47860 | WXGA | 3400 AL | 20000:1 | 10000 hours | HDMI, USB Type A, MHL, LAN, Audio In/out, Auto keystone, Hidden dongle design |
| WXGA | P1387W | 64500 | WXGA | 4500 AL | 17000:1 | 5,000 hours | D-Sub x 2, Monitor out, Composite Video, S-Video, Audio In/out |
| Large Venue | P5515 | 88820 | 1080p | 4000 AL | 12000:1 | 6,500 hours | D-Sub, HDMI X 2, MHL, Audio In/out, LAN FULL HD. |
| Full HD | H6517BD | 77300 | 1080p | 3200 AL | 10000:1 | 8,000 hours | Dual HDMI, MHL, D-Sub, Composite Video, S-Video, Audio In |
| Home AV | V7500 | 92660 | 1080p | 2500 AL | 20000:1 | 7,000 hours | Dual HDMI, MHL, D-sub, Composite Video, Audio In/out |
| Warranty: Projector 2Yrs Onsite Warranty and Lamp 1yr or 1000hrs (which ever is earlier) | | | | | | | |

EPSON PROJECTOR

| Model | Spec | NETT |
|--|--|--------|
| EB-S31 | WLO-3200Lumens/CLO-3200Lumens/SVGA/15000:1/10000hrs Lamp life | 26,842 |
| EB-X31 | WLO-3200Lumens/CLO-3200Lumens/XGA/15000:1/10000hrs Lamp life | 33,932 |
| EB-W04 | WLO-3000Lumens/CLO-3000Lumens/WXGA/15000:1/10000hrs Lamp life | 42,061 |
| EB-U32 | WLO-3200Lumens/CLO-3200Lumens/WUXGA/15000:1/10000hrs Lamp life | 51,698 |
| EB-X36 | WLO-3600Lumens/CLO-3600Lumens/XGA/15000:1/10000hrs Lamp life | 39,717 |
| Portable Projector | | |
| EB-1776W | WLO-3000Lumens/CLO-3000Lumens/WXGA/Ultra Portable | CALL |
| Desktop Install | | |
| EB-1930 | WLO-4200Lumens/CLO-4200Lumens/XGA | CALL |
| EB-1945W | WLO-4200Lumens/CLO-4200Lumens/WXGA | CALL |
| EB-1955 | WLO-4500Lumens/CLO-4500Lumens/XGA | CALL |
| EB-1965 | WLO-5000Lumens/CLO-5000Lumens/XGA | CALL |
| EB-1975W | WLO-5000Lumens/CLO-5000Lumens/WXGA | CALL |
| EB-1980WU | WLO-4400Lumens/CLO-4400Lumens/WUXGA | CALL |
| EB-1985WU | WLO-4400Lumens/CLO-4400Lumens/WUXGA/Wifi Option | CALL |
| Short Throw | | |
| EB-520 | WLO-2700Lumens/CLO-2700Lumens/XGA/Short throw | 49,096 |
| EB-525W | WLO-2800Lumens/CLO-2800Lumens/WXGA/Short throw /10000hrs Lamp life | 40,275 |
| EB-530 | WLO-3200Lumens/CLO-3200Lumens/XGA/Short throw | 64,107 |
| EB-535W | WLO-3400Lumens/CLO-3400Lumens/WXGA/Short throw | 70,747 |
| EB-536Wi | WLO-3400Lumens/CLO-3400Lumens/WXGA/Short throw Interactive | 69,091 |
| Ultra short throw Projector/Interactive | | |
| EB-585W | WLO-3300Lumens/CLO-3300Lumens/WXGA/Ultra Short throw | CALL |
| EB-945H | WLO-3000Lumens/CLO-3000Lumens/WXGA/10000hrs Lamp life | 51,179 |
| EB-595Wi | WLO-3300Lumens/CLO-3300Lumens/WXGA/Ultra Short throw Touch Interactive | CALL |

**FOR OTHER PROJECTOR MODEL PLEASE CONTACT :- 28521607/ 28521572/
28587158 / 9884411731**